INITIAL REVIEW EXPOSURE REPORT (IREXR)

Chemical ID: P-18-0068 Reviewer: Bevington/HDJ

Results Table: Dose, Concentration, and Days Exceeded Results Summary

| Exposure Scenario ¹ | | | W | /ater | | | Landfill | Stack | k Air | Fugiti | ve Air |
|---|-----------|-----------|-----------|-----------|--|--------|----------------|-------|-------|------------------------|----------------------|
| | Drinkin | g Water | Fish In | gestion | 7Q10 ⁴ | PDM | LADD | ADR | LADD | ADR (24-hr | LADD |
| Release activity(ies) ² ; exposure calculation(s) ³ | ADR | LADD | ADR | LADD | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | conc.) | (Annual conc.) | | | | |
| | mg/kg/day | mg/kg/day | mg/kg/day | mg/kg/day | μg/l | # Days | mg/kg/day | | | mg/kg/day (μg/m³) | mg/kg/day (μg/m³) |
| MFG:PROC:USE: Max ADR | 2.21E-04 | | 6.83E-04 | | | | | | | 2.01E-02 (1.10E+02) | |
| MFG:PROC:USE: Max LADD | | 5.76E-08 | | 4.16E-08 | | | | | | | |

¹ Exposure scenario titles consist of release activity followed by exposure calculation abbreviation.

Remarks:

MFG:PROC:USE – POTW Industrialized (site not found)

² Release activities are from engineering report's Manufacturing (Mfg), Processing (Proc) and Use release activity labels.

Multiple release activities are combined in one exposure scenario if their releases occur at same location.

³ Exposure calculations are Acute Dose Rate (ADR), Lifetime Average Daily Dose (LADD), and Probabilistic Dilution Model (PDM). There may be one, two, or all three exposure calculations per exposure scenario. CC is the aquatic concentration of concern.

⁴ This column displays concentration values for the 7Q10 streamflow, which is defined as the average daily streamflow of the seven consecutive days of lowest flow within a ten year period.

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0068 Assessor: Bevington/HDJ

(kg/site/day)

| | ENVIRONMENTAL RELEASES | | | | | | | | | | |
|----------------------|------------------------|-------------------------------|---------|----------|--|--|--|--|--|--|--|
| Scenario#:1 | | Number of Release Sites: | | | | | | | | | |
| Release Activity: | MFG:PROC:USE: Max | ADR | | | | | | | | | |
| Release Description: | WATER | LANDFILL Non-sludge/Sludge | STACK | FUGITIVE | | | | | | | |
| | | Troil bludge, bludge | | | | | | | | | |
| Total Releases: | | | | | | | | | | | |
| | (kg/yr) | (kg/yr) | (kg/yr) | (kg/yr) | | | | | | | |
| | | Non-sludge/Sludge | | | | | | | | | |
| Release Days/yr: | | | | | | | | | | | |
| Per Site Release: | | | | | | | | | | | |

(kg/site/day)

(kg/site/day)

(kg/site/day)

Remarks:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0068

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 1 Number of Sites: RELEASE

ACTIVITY:MFG:PROC:USE:

Max ADR

SIC-CODE DESCRIPTION:

SIC-CODE (S):

EXPOSED POPULATION: Adult

| WWT REMOVAL (%) | RELEASE DAYS | PRETREATMENT RELEASE (kg/site/day) | POSTTREATMENT RELEASE (kg/site/day) | DWT (%) | BCF (L/kg) |
|-----------------------|-----------------|--|---|------------|---------------|
| | | | | | |

| | AQUATIC EXPOSURE ESTIMATES - SURFACE WATER | | | | | | | | | | | | |
|---------------|--|------------------|-----------|----------|-------|------------------|----------|-------------|-------|--|--|--|--|
| PLANT TYPE | % ILE FACILITY | | STREAM FI | LOW (MLD |) | | STREAM C | ONC. (µg/l) | | | | | |
| | | Harmonic Mean | 30Q5 | 7Q10 | 1Q10 | Harmonic Mean | 30Q5 | 7Q10 | 1Q10 | | | | |
| ALL | 50 | 288.00 | 123.84 | 78.18 | 66.05 | 0.27 | 0.63 | 0.99 | 1.17 | | | | |
| ALL | 10 | 39.60 | 13.29 | 7.76 | 7.57 | 1.96 | 5.83 | 9.99 | 10.24 | | | | |

| DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES | | | | | | | | | | |
|--|------------------------|----------|-------------------------|------------------------|----------|----------------------------|--|--|--|--|
| Exposure Units | Drinking Water Results | | Drinking Water Units | Fish Ingestion Results | | Fish Ingestion Units | | | | |
| | 50% | 10% | | 50% | 10% | | | | | |
| | Cancer | | | | | | | | | |
| $\mathrm{LADD}_{\mathrm{pot}}$ | 4.05E-09 | 2.95E-08 | mg/kg/day | 2.92E-09 | 2.13E-08 | mg/kg/day | | | | |
| LADC _{pot} | 3.12E-07 | 2.27E-06 | mg/L | 3.12E-05 | 2.27E-04 | mg/kg | | | | |
| Acute | | | | | | | | | | |
| ADR _{pot} | 2.37E-05 | 2.21E-04 | mg/kg/day | 9.38E-05 | 6.83E-04 | mg/kg/day | | | | |

SIC Code Comments:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0068

INHALATION EXPOSURE ESTIMATES (POST-TREATMENT)

SCENARIO #: 1 RELEASE ACTIVITY:MFG:PROC:USE: Max ADR

RELEASE DESCRIPTION:

METHOD OF CALCULATION: Screen3

EXPOSED POPULATION: Adult

Number of Sites:

Per Site Fugitive Release:

Fugitive Release Days per Year:

% Removal via Fugitive Release:

Total Fugitive Release:

Max Annual Average Air Concentration

(Fugitive):

Max 24 Hour Average Air Concentration(Fugitive):

Per Site Stack Release:


Stack Release Days per Year:

% Removal via Stack Release:

Total Stack Release:

Max Annual Average Air Concentration (Stack):

Max 24 Hour Average Air Concentration (Stack):



| | D. I | D. It | ASSUMPTIONS | | | | |
|--|----------------------------|----------|---------------|---------------|------------|-------------------|--|
| Exposure Units | Results Results (Fugitive) | | ED (years) | AT (years) | BW (kg) | Inh. Rate (m³/hr) | |
| | | Cancer | | | | | |
| LADD _{pot} (mg/kg/day) | N/A | 1.80E-06 | 33.00 | 78.00 | 80.00 | 0.61 | |
| LADC _{pot} (mg/m ³) | N/A | 9.82E-06 | 33.00 | 78.00 | NA | NA | |
| Acute | | | | | | | |
| ADR _{pot} (mg/kg/day) | N/A | 2.01E-02 | NA | 1 day | 80.00 | 0.61 | |

Inhalation Comments:

Stack Parameter Data Fugitive Parameter Data

Stack Height 10.00 Release Height: 3.00 m

Inside Stack 0.10 Length of Release 10.00 m

Diameter: Opening:

Stack Gas Exit 0.10 Width of Release 10.00 m

Velocity: Opening:

Stack Gas 293.00

Temperature:

Meteorological and Terrain Information:

Surrounding Land Use: Rural

Terrain Height: 0.00 m

Distance to Residence of Interest: 100.00 m

Meteorological Class: Full

Stability Class: NA

Wind Speed: NA

Downwash Information:

Facility Length: NA m

Facility Width: NA m

Facility Height: NA m

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0068 Assessor: Bevington/HDJ

(kg/site/day)

| | ENVIRONMENTAL RELEASES | | | | | | | | | | |
|----------------------|------------------------|--------------------------|---------|----------|--|--|--|--|--|--|--|
| Scenario#:2 | | Number of Release Sites: | | | | | | | | | |
| Release Activity: | MFG:PROC:USE: Max | LADD | | | | | | | | | |
| Release Description: | WATER | LANDFILL | STACK | FUGITIVE | | | | | | | |
| | | Non-sludge/Sludge | | | | | | | | | |
| Total Releases: | | | | | | | | | | | |
| | (kg/yr) | (kg/yr) | (kg/yr) | (kg/yr) | | | | | | | |
| | | | | | | | | | | | |
| | | Non-sludge/Sludge | | | | | | | | | |
| Release Days/yr: | | | | | | | | | | | |
| Per Site Release: | | | | | | | | | | | |

(kg/site/day)

(kg/site/day)

(kg/site/day)

Remarks:

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-18-0068

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 2 Number of Sites: RELEASE

ACTIVITY:MFG:PROC:USE:

Max LADD

SIC-CODE DESCRIPTION:

SIC-CODE (S):

EXPOSED POPULATION: Adult

| WWT REMOVAL (%) | RELEASE DAYS | PRETREATMENT RELEASE (kg/site/day) | POSTTREATMENT RELEASE (kg/site/day) | DWT (%) | BCF (L/kg) |
|-----------------------|-----------------|--|---|------------|---------------|
| | | | | | |

| | AQUATIC EXPOSURE ESTIMATES - SURFACE WATER | | | | | | | | | | | | |
|---------------|--|------------------|-----------|----------|-------|------------------|----------|-------------|------|--|--|--|--|
| PLANT TYPE | % ILE FACILITY | | STREAM FI | LOW (MLD |) | | STREAM C | ONC. (µg/l) | | | | | |
| | | Harmonic Mean | 30Q5 | 7Q10 | 1Q10 | Harmonic Mean | 30Q5 | 7Q10 | 1Q10 | | | | |
| ALL | 50 | 288.00 | 123.84 | 78.18 | 66.05 | N/A | N/A | N/A | N/A | | | | |
| ALL | 10 | 39.60 | 13.29 | 7.76 | 7.57 | N/A | N/A | N/A | N/A | | | | |

| DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES | | | | | | | | | | |
|--|------------------------|----------|-------------------------|-------------|-------------|----------------------------|--|--|--|--|
| Exposure Units | Drinking Water Results | | Drinking Water Units | Fish Ingest | ion Results | Fish Ingestion Units | | | | |
| | 50% | 10% | | 50% | 10% | | | | | |
| Cancer | | | | | | | | | | |
| $\mathrm{LADD}_{\mathrm{pot}}$ | 7.93E-09 | 5.76E-08 | mg/kg/day | 5.72E-09 | 4.16E-08 | mg/kg/day | | | | |
| LADC _{pot} | 6.10E-07 | 4.43E-06 | mg/L | 6.10E-05 | 4.43E-04 | mg/kg | | | | |
| Acute | | | | | | | | | | |
| ADR _{pot} | N/A | N/A | mg/kg/day | N/A | N/A | mg/kg/day | | | | |

SIC Code Comments: